## County of Kaua'i Water Use & Development Plan Update

Kilauea Neighborhood Center October 20, 2015



Department of Water County of Kaua'i


Fukunaga & Associates, Inc.

## Background - Legislative Mandate

- 1987 Hawai'i Water Code (HRS Chapter 174C)
- Protect Hawai'i's surface & ground water resources
- Established the Commission on Water Resource Management (CWRM)
- Development of the Hawai'i Water Plan "a long range planning guide for CWRM"

State of Hawaii

### Hawai'i Water Plan





# Technical Approach Guiding Principles

- Public Trust Doctrine ...waters of the State are held for the benefit of all citizens of the State.
- Water is a most precious resource & shall be used wisely – to be conserved, not wasted
- Highest quality water shall be used for the community's highest beneficial uses
- Lower quality water (reuse water, surface water, brackish water) should be used whenever possible

## Technical Approach Key Tasks

- Inventory Existing Sources
- Inventory Existing Uses
- Identify Existing Water Systems
- Assess Land Use Plans & Policies
- Project Future Water Demands
- Identify Resource Options
- Obtain Stakeholder and Public Input & Review





#### Legend

—— Aquifer Sector Areas

--- Aquifer System Areas

Island of Kaua'i
CWRM Ground Water Hydrologic Units & Sustainable Yield

#### **Registered Wells**

(Kilauea – Kalihiwai – Hanalei – Wainiha Aquifer Systems)

Code	Aquifer System	Total # of Wells
20105	Kilauea	55
20201	Kalihiwai	25
20202	Hanalei	7
20203	Wainiha	4
	Island of Kaua'i	360

#### **Declared Surface Water Diversions**

(Kilauea - Kalihiwai - Hanalei - Wainiha Aquifer Systems)

Code	Aquifer System	Total # of Declared Diversions
20105	Kilauea	17
20201	Kalihiwai	13
20202	Hanalei	13
20203	Wainiha	37
	Island of Kaua'i	292

### **Alternative Water Sources**







# **Inventory Existing Uses (by CWRM Categories)**

- Domestic
- Industrial
- Irrigation
- Military
- Municipal
- Agriculture

## Technical Approach Agricultural Water Use Projections

- Working with County Planning, State Department of Agriculture & Agribusiness Development Corporation
- AWUDP to determine most reasonable projection use rate of 3,400 gpad
- Important Agricultural Lands Study as the basis
- Select crops that can be propagated with ambient rainfall whenever possible
- Utilize capability of existing and former irrigation
   systems rehabilitate & repair AWUDP initial focus
- Maximize use of lower quality water (reuse water, surface water, brackish water) whenever possible







## **Identify Existing Water Systems**

- County DOW Systems
- Privately-owned Public Water Systems
- Irrigation Systems
- Reclaimed Water Systems
- Individual Systems typically catchment


## State Land Use Classification State Land Use Commission



#### General Plan Land Use - Kilauea - Hanalei



#### **County Zoning - Kilauea - Hanalei**



## Assessment of Land Use Plans & Policies


- Initial Assessment (Island-wide comparison)
  - Preliminary evaluation of sustainability of land use policies
  - Identification of "sensitive" and "less-sensitive" areas
  - Concept of "Full Build-out" scenarios
  - Application of standard water planning methods to existing land use plans and policies
  - Focus on domestic demands and groundwater sources

Full Build-out Scenario - ALL land area to be developed to its theoretical maximum extent


#### SUSTAINABILITY OF LAND USE POLICIES

SUSTAINABLE YIELD (WRPP)	
GENERAL PLAN FULL BUILD-OUT SCENARIO	
ZONING FULL BUILD-OUT SCENARIO	


#### Full Build-Out Water Demand - 20105 Kilauea




#### Full Build-Out Water Demand - 20201 Kalihiwai



#### Full Build-Out Water Demand - 20202 Hanalei




#### Full Build-Out Water Demand - 20203 Wainiha



## Initial Assessment – Island-wide Summary (Domestic, Commercial & Industrial Demands)

	Aquifer System	Sustainable Yield (2008 WRPP)	Full Build-Out	
Code			General Plan	County Zoning
20101	Koloa	30	19.37	10.42
20102	Hanama'ulu	36	20.10	14.69
20103	Wailua	43	2.50	2.07
20104	Anahola	17	10.35	7.35
20105	Kilauea	5	1.23	1.16
201	LIHUE	131	53.55	35.69
20201	Kalihiwai	11	4.98	2.22
20202	Hanalei	34	3.04	1.64
20203	Wainiha	24	0.54	0.29
20204	Napali	17	0.00	0.00
202	HANALEI	86	8.56	4.15
20301	Kekaha	10	4.96	2.41
20302	Waimea	37	0.32	0.32
20303	Makaweli	26	1.46	1.19
20304	Hanapepe	22	0.52	0.43
203	WAIMEA	95	7.26	4.35
TOTAL	Island of Kaua'i	312	69.37	44.19

#### **PROJECTED DEMAND**



# Technical Approach Identify Resource Options

- Watershed Protection
- Consistently apply demand-side measures
  - Conservation Programs and Policies
  - Xeriscape/Landscape management
  - If necessary reduce allowable development density
- Maximize use of lower quality water (reuse water, surface water, brackish water) whenever possible
- Develop and maintain conventional water system infrastructure prudently

# Challenges Limited Information

- Based on the best available information
- Information on stream diversion and instream use is limited WRPP
- AWUDP projections not available and information on irrigation system capacities limited
- Requires reasonable judgment & assumptions

# Challenges Opportunity to Focus Future Efforts

- Identification of data needs
- Identification of "sensitive" areas requiring more detailed evaluation and careful land use planning
- Linking of land planning policies with infrastructure & resource availability

## Implementation Plan

- Kauai Water Plan 2020
  - Infrastructure Masterplan
  - 20-year CIP
- Initiation of New Programs
  - Findings of WUDP assessment
  - Identification of "sensitive" areas requiring more detailed evaluation and careful landuse planning

#### Kauai WUDP - Proposed Timeline

2015	2016	2017			
Advisory Group Meeting #1					
Project Description	approved by CWRM				
Preliminary Analyses					
Publ	ic Meeting #1				
Develop	WUDP				
	Advisory Group Meeting #2				
	Present Preliminary Findings	s to CWRM			
	Draft WUDP				
	Preser	t Draft WUDP to CWRM			
	Pub	lic Meeting #2			
	Pre-Final W	UDP			
Present Pro	e-Final WUDP to Kauai Board of Water Supp	oly 🔷			
	Present Pre-Final WUDP to CWRM for	adoption			
		Final WUDP			

## **Stakeholder Advisory Committee**

Dee Crowell Debra Lee-Jackson

Landis Ignacio Jerry Ornellas

lan Kagimoto Tom Shigemoto

Peter Kea Shawn Shimabukuro

