

# ADDENDUM NO. 1

COUNTY OF KAUAI  
DEPARTMENT OF WATER

## INVITATION FOR BIDS

**GS-2020-1**

FOR THE  
FURNISHING AND DELIVERY  
OF

TWO (2) TRUCKS 4-DOOR 4-WHEEL DRIVE

### NOTICE TO PROSPECTIVE PROPOSERS

This addendum is hereby made a part of the INVITATION FOR BIDS and shall govern the work, taking precedence over previously issued plans and specifications governing the items mentioned for the subject project; and it shall amend the said contract documents in the following respects:


### ADDENDUM NO. 1

The attached revised SPECIFICATIONS shall replace the original Specifications for Two (2) Trucks 4-Door 4-Wheel Drive. Specifications were added for Bed Liner.

Bid due date will remain the same of **Wednesday, September 4, 2019 by 2:00pm HST.**

### End of Addendum No. 1

If there are any questions, please contact Mr. Val Reyna at (808) 245-5434 or by email at [vreyna@kauaiwater.org](mailto:vreyna@kauaiwater.org).

  
Bryan Wienand, P.E.  
Manager and Chief Engineer  
August 15, 2019

### ACKNOWLEDGEMENT OF RECEIPT OF ADDENDUM NO. 1

Receipt Acknowledged:

\_\_\_\_\_  
Organization

\_\_\_\_\_  
Received by

\_\_\_\_\_  
Date

\_\_\_\_\_  
Title

(Please sign and return your acknowledgement.)

## SPECIFICATIONS

### TWO (2) TRUCKS 4-DOOR 4-WHEEL DRIVE

THE MINIMUM SPECIFICATIONS SHALL NOT BE LESS THAN:

ITEM 1:

DESCRIPTION	MINIMUM REQUIREMENTS	BIDDER'S PROPOSAL MUST BE FILLED
Year	New, of current production model	
Model	TRUCK 4-Door 4-Wheel Drive similar in capabilities, capacity, quality and configuration to a Chevy Colorado, Ford Ranger, Nissan Frontier or Toyota Tacoma.	
Wheelbase	126 inches, minimum	
Ground Clearance	8.0 inches, minimum	
Payload Capacity	1400 lbs., minimum	
Cargo Capacity	60 inch to 62 inch bed length	
Seating Capacity	5 persons, minimum	
Engine	Gas Powered 4 cylinder turbocharged or 6 cylinders naturally aspirated	
Displacement	2.3 Liter Turbocharged or 3.5 Liters naturally aspirated, minimum	
Horsepower	260 hp, minimum	
Torque	265 lb-ft, minimum	
Transmission	Automatic with at minimum of 5 forward speeds	
Drivetrain	4 Wheel Drive ( <u>Must have capability to engage 4LO</u> )	
Brakes–Front/Rear	Power assisted disc/disc type	
Steering	Power assisted	
Electrical System	12 Volt, negative ground	
Tires	All-Terrain	
Seat Belts	Five (5) seat belts that meet Federal Standards, minimum	
Fuel Tank	Eighteen (18) gallon capacity, minimum	
Lights & Safety Equip	Meet or exceeds Federal requirements	
	One (1) Delta Pro Bright Aluminum Gull Wing, Mid hinge crossover box, compact size. As manufactured by American Van Equipment of Lakewood, New Jersey. OR United Welding Service Item #UWS00404, OR equivalent substitution can be submitted for approval.	
	“Defender” Roof mounted emergency light bar (Amber) with internal controls, manufactured by Code 3, OR Legacy LED Light Bar Single Color Solo becan light bar, manufactured by Whelen,	

	OR equivalent substitution can be submitted for Approved Equal. Length to equal full roof width.	
Equipment–Factory Installed	Heater-defroster	
	Air conditioner	
	AM-FM radio/CD Player	
	Electronic clock	
	Jack & tire wrench	
	Removable floor mats (All Season)	
	Dual outside mirrors	
	Blue Tooth Hands Free System	
	Remote keyless entry ability	
	Rear view reverse monitor	
	Provide three (3) sets of keys	
Rustproofing	The complete automotive equipment shall be covered with a mastic underseal & treated w/ Tuff-Kote, Ziebart or equal, rust preventative material. The contractor shall furnish a copy of the warranty for each unit delivered. Rust proofing shall come with a 5 year warranty.	
Bed Liner	Spray in bed liner. Color – Black Factory Installed OEM or equivalent.	
Manuals	The following manufacturer’s manuals shall be provided: a) Service & repair b) Technical service bulletins c) Parts d) Operator & maintenance	
Color	Original factory paint, White	
Warranty	Defective parts and workmanship to be replaced by vendor w/o charge in accordance w/ manufacturer’s guarantee	
Note	Unit shall be brand new and complete, meeting these specifications as well as the general catalog specifications describing this unit. Unit shall be completely assembled, serviced and in good running order and delivered to the destination indicated.	
Delivery	180 calendar days or sooner	