



NOTICE OF SOLICITATION

GS-2027-01

FOR THE

FURNISHING AND DELIVERY

OF

**ONE (1) 26K CAB AND CHASSIS WITH 10 FT DUMP AND
AUTO TARP SYSTEM**

July 2026

Approved:

Chief Procurement Officer

07/28/26

Date

CONTENTS

NOTICE OF SOLICITATION 1

OFFER 2

SCOPE OF WORK AND AWARD 6

CERTIFICATION OF COMPLIANCE FOR FINAL PAYMENT 13

SPECIFICATIONS 14

GENERAL TERMS AND CONDITIONS FOR GOODS AND SERVICES 22

NOTICE OF SOLICITATION

SEALED OFFERS will be received up to and publicly opened at **2:00 p.m. on Monday, August 31, 2026**, at the Department of Water Office of the County of Kauaʻi (“Department of Water” or “Department”), 4398 Pua Loke Street, Līhuʻe, Kauaʻi, Hawaiʻi, for the furnishing and delivery of **GS-2027-01 ONE (1) 26K CAB AND CHASSIS WITH 10 FT DUMP AND AUTO TARP SYSTEM**, to the Department of Water. All bids shall be submitted via www.publicpurchase.com.

Pursuant to §103D-328, Hawaiʻi Revised Statutes, as amended (“HRS”), the successful Offeror shall be required to submit to the Department of Water a tax clearance from the State of Hawaiʻi Department of Taxation and the U.S. Internal Revenue Service as a prerequisite to entering into a contract in the amount of \$25,000 or more. The successful Offeror shall also be required to submit, as a prerequisite to entering into a contract of \$25,000 or more, certificates of 1) Compliance, and 2) Good Standing pursuant to Hawaiʻi Administrative Rules (“HAR”) §3-122-112.

Chief Procurement Officer

OFFER
FOR THE FURNISHING AND DELIVERY
OF
GS-2027-01
ONE (1) 26K CAB AND CHASSIS WITH 10 FT DUMP AND AUTO TARP SYSTEM
TO THE
DEPARTMENT OF WATER
COUNTY OF KAUA'I
LĪHU'E, KAUA'I, HAWAI'I

Date

Chief Procurement Officer
Department of Water
County of Kaua'i
4398 Pua Loke Street
Līhu'e, Kaua'i, Hawai'i 96766

The undersigned hereby agrees to furnish and deliver to the Department of Water, free of any and all liens, claims, and encumbrances whatsoever the following: **GS-2027-01 ONE (1) 26K CAB AND CHASSIS WITH 10 FT DUMP AND AUTO TARP SYSTEM** complete as specified herein, for the offer amount set forth below, all in strict compliance with the Offer, Scope of Work and Award, Specifications, Special Provisions, and General Terms and Conditions, all of which the Offeror understands and agrees are attached hereto and by reference made a part of this solicitation hereof:

ITEM NO. 1 - GS-2027-01, ONE (1) 26K CAB AND CHASSIS WITH 10 FT DUMP AND AUTO TARP SYSTEM, complete as specified hereinafter:

TOTAL SUM BID: \$ _____

Manufacturer's Make & Model _____

Year of Production _____

BID EVALUATION – Please check one

_____ Applicable information available

_____ Applicable information not available.

OFFEROR TO INSERT INFORMATION AND COMPLETE EPA TOTAL FUEL MILEAGE COST FOR THE APPROXIMATE LIFE OF THE VEHICLE.

100,000 Miles X \$3.00 / (____EPA MPG) = \$ _____ X 1 Unit = TOTAL
\$ _____

Delivery shall be made within _____ calendar days.

All extensions must be made by considering the quantities and unit prices as factors and all extensions and summations should be arithmetically correct; however, mistakes in an Offeror's Offer shall be governed by HAR §3-122-31. In case of an error in extension of the UNIT PRICE bid, the unit price bid shall govern.

Offerors also understand and agree that should a total amount be stated for any item, but no UNIT

PRICE be stated, the UNIT PRICE shall be the amount arrived at by dividing the total amount stated by the quantity of units described.

Offerors also understand and agree that the quantities shown in the Offer are for purposes of comparing offers on a uniform basis only. As such, the **Department may increase or decrease the quantity of any item and enter into a contract based on the Department's actual requirements.** Should the quantity of any item be increased or decreased, the contract shall be entered into based on the unit prices bid and under the same terms and conditions specified herein. Further, should the quantity of any item be changed and a contract entered into based on the Department's actual requirements, any loss of anticipated profit or any expenses incurred by the Offeror as a result of submitting an Offer shall not constitute grounds for equitable adjustment of any payment. The Offeror waives and releases the Department from any claim for anticipated profit or loss should the quantities actually contracted for differ from those described in this Offer section.

In submitting this Offer, the Offeror also understands, agrees, and acknowledges as follows:

1. That items specified herein are being furnished for the exclusive use of the Department;
2. That the Offer price includes any and all costs, fees, and expenses (including, without limitation, delivery charges), and all applicable federal, state, and local taxes which apply to the described materials, or the furnishing, sale, or purchase thereof, whether assessed against, chargeable to, or payable to the Department of Water or the Board of Water Supply, or the Offeror;
3. That the Offeror will hold its Offer price(s) for **NINETY (90) CALENDAR DAYS** after the Offer submittal deadline;
 - a. This ninety day period replaces the offer price period of the General Terms 3.2.
4. That the Chief Procurement Officer reserves the right to reject any or all offers in whole or in part and waive any defects if such a rejection or waiver will be in the Department's best interest and is consistent with HRS Chapters HRS 103 & 103D and their implementing administrative rules, and the Charter of the County of Kaua'i, 1984, as amended;
5. That the Offeror declares that it has thoroughly studied, examined, and understood all of the terms and conditions of this solicitation and that the Offer submitted is made without collusion on the part of any person, firm, or corporation, and that no official or employee of the government is directly or indirectly interested in the Offer or in the supplies or work to which it relates or in any portion of the profits thereof;
6. That the Offeror certifies:
 - a. That this Offer does not pose a conflict with the Kaua'i County Code of Ethics, as referenced in Sec. 2.16 of the General Terms; and
 - b. That this Offer is submitted with the knowledge that a "Certificate of non-collusion" as referenced in Sec. 2.5 of the General Terms, is required if competing subsidiaries or jointly owned companies submit offers;
7. That a price adjustment or preference, where applicable, will be applied for Hawai'i Products List Items (3%, 5%, 10%); Printing, Binding and Stationery Work (15%); Reciprocal preferences; Recycled Products (5%); Software Development business (10%); and out-of-state vendors and Tax Exempt entities (4.167%, 0.5%);
8. That the Offeror, upon award of contract, shall comply with all laws governing entities doing business in the State of Hawai'i, including HRS Chapters 237, 383, 386, 392, and 393, and shall:

- a. Be incorporated or organized under the laws of the State of Hawai‘i; or
- b. Be registered to do business in the State of Hawai‘i as a separate branch or division that is capable of fully performing under the contract.

The Offeror shall produce documents to the procuring officer to demonstrate compliance with this Paragraph 8. Any Offeror making a false affirmation or certification under this Paragraph 8 shall be suspended from further offerings or awards pursuant to HRS §103D-702. (HRS §103D-310); and

- 9. That the Offeror has received and hereby accepts the following Addendum or Addenda and that the information provided therein is accounted for in this Offer.

<u>Addendum No.</u>	<u>Date:</u>
_____	_____
_____	_____
_____	_____
_____	_____

EVIDENCE OF THE UNDERSIGNED OFFEROR HAVING THE AUTHORITY TO SUBMIT THIS OFFER AND TO ENTER A CONTRACT IS HEREWITH FURNISHED.

Respectfully submitted,

NAME OF OFFEROR (VENDOR)

PRINT/TYPE NAME & TITLE

AUTHORIZED SIGNATURE



OFFERORS ARE REQUIRED TO COMPLETE THE FOLLOWING INFORMATION FOR EVALUATION AND CONTRACT PURPOSES.

PLEASE DO NOT DETACH THIS SOLICITATION FROM THE SPECIFICATIONS. FILL IN ALL BLANK SPACES WITH INFORMATION REQUIRED OR YOUR OFFER MAY BE REJECTED.

Name of Offeror (Vendor)

()

Telephone Number

Address, Zip Code

State of Hawai'i General Excise Tax License No. (See General Terms 3.1(A))

Federal Employer Identification No.

Type of Organization: (Please designate)

☐ Sole Proprietorship

☐ Partnership

☐ Corporation

☐ Joint Venture

☐ Other (*please specify*)

State of Incorporation:

☐ Hawai'i

☐ Other (*please specify*)

NOTE: If "OTHER," is a corporate seal available in your

Kaua'i or Honolulu Office? ☐ Yes ☐ No

ATTACH AND ENCLOSE WITH YOUR OFFER, EVIDENCE OF AUTHORITY TO SIGN:

NAME

TITLE

NAME

TITLE

If the Offeror is a CORPORATION, the legal name of the corporation shall be set forth on the Offer, together with the signature(s) of the Officer(s) authorized to sign on behalf of the corporation and the corporate seal affixed thereto. **Evidence of the authority of the Officer(s) to sign on behalf of the Corporation SHALL be attached to this page and included in the Offer.** Acceptable evidence of authority to sign includes, but is not limited to, a copy of the articles of incorporation, corporate resolution, or corporate by-laws. (See HRS Ch. 415, Hawai'i Business Corporation Act).

If the Offeror is a LIMITED LIABILITY COMPANY, the legal name of the company shall be set forth on the Offer, together with the signature(s) of the member of the limited liability company or manager of the manger-managed limited liability company authorized to sign on behalf of the entity. **Evidence of the authority of the Officer(s) authorized to sign on behalf of the company SHALL be attached to this page and included in the Offer.**

If the Offeror is a PARTNERSHIP, the legal name of the firm shall be set forth on the Offer, together with the signature(s) of the General Partner(s) authorized to sign on behalf of the partnership. **Evidence of the authority of the General Partner(s) authorized to sign on behalf of the partnership SHALL be attached to this page and included with the Offer.** Acceptable evidence of authority to sign for the partnership includes, but is not limited to, a copy of the partnership registration statement or authorization signed by all of the partners. (See HRS Ch. 425, Partnerships).

If Offeror is a SOLE PROPRIETORSHIP, Offeror's signature shall be placed above.

**SCOPE OF WORK AND AWARD
FOR THE
FURNISHING AND DELIVERY
OF
GS-2027-01**

ONE (1) 26K CAB AND CHASSIS WITH 10 FT DUMP AND AUTO TARP SYSTEM

- I. DEFINITIONS.** As used in this Scope of Work and Award and as used elsewhere in this solicitation, the terms shall be defined as stated in the General Terms and Conditions for Goods and Services of the Department of Water, County of Kaua‘i, dated August 25, 2010, as amended (herein “General Terms”), attached hereto and incorporated herein.
- II. SCOPE OF WORK.** The Contractor shall furnish and deliver the **GS-2027-01 ONE (1) 26K CAB AND CHASSIS WITH 10 FT DUMP AND AUTO TARP SYSTEM** as specified in this solicitation in strict compliance with the Offer, Scope of Work and Award, Specifications, Special Provisions, and General Terms, all of which the Offeror understands and agrees are attached hereto and by reference made a part of this solicitation and any award.

A. INSTRUCTIONS TO OFFERORS; OFFER SUBMISSION DOCUMENTS.

1. Offerors are required to submit as their Offer all of the documents listed in the Table of Contents. The Department has conveniently stapled or bound all of said documents for ease of submission.
 2. **OFFERORS ATTENTION IS DIRECTED TO THE OFFER SECTION, WHERE EVIDENCE OF THE AUTHORITY OF THE PERSON(S) SIGNING THE SOLICITATION MUST BE INCLUDED WITH THE OFFER DOCUMENTS. FAILURE TO COMPLY WITH THIS REQUIREMENT WILL BE CAUSE FOR REJECTION OF AN OFFER.**
 3. **All bids shall be submitted via www.publicpurchase.com.** Offerors shall sign the Offer form in ink and submit the offer form with the original signature included in the Offer. If submission is via the Department’s electronic procurement system, an electronic copy of the original signature is acceptable.
 4. Offerors shall designate those portions of their offer that contain trade secrets or other proprietary data that are to remain confidential, subject to HAR §3-122-30(c) and (d); further, the material designated as confidential shall be readily separable from the Offer in order to facilitate public inspection of the non-confidential portions of the Offer.
 5. The General Terms are attached hereto and incorporated into this solicitation. Offerors are advised to familiarize themselves with all of its terms and conditions.
- B. PREFERENCES.** The following preferences are applicable when preceded by a checked box. Information and legal and procedural requirements pertaining to all preferences can be found within the General Terms:

- ☐ **HAWAI‘I PRODUCTS PREFERENCE; SCHEDULE B.** Pursuant to HRS 103D-1002, Offers should complete the Certificate of Hawai‘i Products Preference for application of this preference. (See: General Terms, 3.1(B); applicable to IFB/CSP)
- ☐ **PRINTING, BINDING, AND STATIONARY WORK PREFERENCE.** Pursuant to the provisions of Section 103D-1004, HRS and 3-124, HAR, production-related work shall be performed within the State of Hawai‘i unless otherwise permitted. Offerors should complete or answer applicable questions in the solicitation. (See: General Terms, 3.1(C); applicable to IFB)

- ☐ **RECIPROCAL PREFERENCE.** Pursuant to the provisions of Section 103D-1004, HRS and 3-124, HAR, the Chief Procurement Officer may impose a reciprocal preference against Offerors from those states which apply preferences. (See: General Terms, 3.1(D); applicable to IFB)
- ☐ **RECYCLED PRODUCTS PREFERENCE; SCHEDULE E.** Pursuant to HRS 103D-1005, Offerors should complete the Certification of Recycled Content form (SCHEDULE E) in this solicitation; answer applicable questions in the Offer or solicitation; and state their prices for recycled and non-recycled products offered for application of this preference. (See: General Terms, 3.1(E); applicable to IFB)
- ☐ **SOFTWARE DEVELOPMENT BUSINESS PREFERENCE.** See General Terms 3.1(F); HRS 103D-1006 and HAR 3-124; applicable to IFB/CSP.
- ☐ **HAWAI'I EXCISE AND USE TAX PREFERENCE.** For evaluation purposes, the Offeror's tax-exempt price shall be increased by the applicable retail rate of general excise tax and the applicable use tax. For competitive sealed bids, the lowest responsive, responsible Offeror, taking into consideration the above increase, shall be awarded the contract, but the contract amount of any contract awarded shall be the amount of the price offered and shall not include the amount of the increase.

See: HAR §3-124-50, et. seq. Any "taxpaying bidder," as defined in HAR §3-124-51, shall qualify for a tax preference by submitting with an offer a current and valid tax clearance certificate issued by the State of Hawai'i Department of Taxation and the U.S. Internal Revenue Service.

- ☐ **QUALIFIED COMMUNITY REHABILITATION PROGRAMS PREFERENCE.** Pursuant to HRS 103D-1009, a five per cent preference shall be given to services to be provided by nonprofit corporations or public agencies operating qualified community rehabilitation programs in conformance with criteria established by the DLIR for all competitive sealed bid and proposal procurements.

Organizations listed in the "Partners in employment program list," also known as the PEP, issued by the State Procurement Office, qualify for a 5% preference. For application of this preference Offeror shall submit with the Offer the "Certificate of Eligibility to Claim a Preference as a Qualified Community Rehabilitation Program" form. (Form available upon request only; See General Terms 3.1(G)).

Any contract awarded pursuant to this preference shall be exempt from the wages provision of HRS 103-55.

Said preference shall be applied by increasing the offer price for non-community rehabilitation program Offerors.

- ☐ **HRS 103-55, WAGES, HOURS, AND WORKING CONDITIONS OF EMPLOYEES OF CONTRACTORS SUPPLYING SERVICES, SCHEDULE A.** Contractors supplying services in excess of \$25,000 shall complete and submit with their Offer a signed statement certifying compliance with HRS §103-55.

- C. STATE OF HAWAI'I TAX REQUIREMENTS.** The Offeror's attention is directed to Publication-1 issued by the State of Hawai'i reference to information on Hawai'i State Taxes administered by the Department of Taxation. Copies of said Publication-1 are on file and may be inspected and/or obtained at the Division of Purchasing, Department of Finance, County of Kaua'i, during regular business

hours of the County.

- D. NON-DISCRIMINATION. The contractor or subcontractor shall not discriminate on the basis of race, religion, color, sex, or national origin in the performance of this contract. Failure to comply with this requirement may be cause for termination of this contract or such other remedy as the Department deems appropriate.
- E. GENERAL RULE FOR APPLICABILITY OF THE TERMS AND CONDITIONS FOR THIS SOLICITATION. The terms and conditions stated in this solicitation shall not apply to any transaction if the provisions conflict with any federal laws or if it shall prevent the Department from complying with the terms and conditions of any grant, gift, bequest, or cooperative agreement.
- F. BID BOND OR PERFORMANCE AND PAYMENT BONDS. For this solicitation:
 - 1. Bid bond **is not required** in an amount equal to at least five per cent of the base bid and additive alternates or in an amount required by the terms of the federal funding, when required.
 - 2. Performance bond **is not required** in an amount not to exceed fifty per cent of the amount of the contract price, when required.
 - 3. Payment bond **is not required** in an amount not to exceed fifty per cent of the amount of the contract price, when required.

III. **METHOD OF AWARD.** The award of the contract shall be made in writing to the **lowest responsive, responsible offeror** whose offer is deemed by the Department to be in the best interest of the Department and in compliance with HRS 103D-410. The Department shall add the “energy efficiency through life cycle costing” (the total cost of fuel for the approximate life of the vehicle based on the current Federal EPA Gas Mileage Gas Guide) to determine the lowest Offer price for the vehicle(s) as defined below:

- A. Definitions to the formula to compute the total evaluated bid price (total bid price of the vehicle plus the total cost of fuel) as listed in the offer page.
 - 1. “Total Evaluated Bid Price” is the total of fuel for the approximate life of the vehicle, which shall be added to the total bid price of the vehicle, solely for the purpose of determining the lowest responsible Offeror.
 - 2. The 100,000 miles is the estimated total city miles to be derived for the approximate useful life of the vehicle(s).
 - 3. The \$3.00 represents the approximate price per gallon unleaded gasoline, which the Department is paying for fuel at the present time.
 - 4. The “Federal City Driving EPA MPG” shall be the EPA rating published by the U. S. Department of Energy, which the Department shall use as the official EPA MPG listing to compute the cost of fuel for the life of the vehicle. All Offerors shall use the latest issue of the Federal EPA MPG listing, which is available from the local U. S. Department of Energy Office.
 - 5. The total cost of energy efficiency through life cycle costing shall be computed by dividing the 100,000 total miles by the Federal City Driving EPA city MPG rating and multiplied this amount by \$3.00 (the approximate cost of fuel) multiplied by the number of units which shall be added to the total cost of the vehicle, to arrive the total evaluated bid price. In computing the total evaluated bid price, Offerors shall compute the cost to two decimal places.

All Offerors shall insert their own Federal EPA (city) MPG rating and complete the computation; however, the Department shall confirm the computation accuracy.

In the event the Offeror’s vehicle performance rating has been filed with the

U.S. Department of Energy, but is missing or omitted from the latest publication, the Offeror shall submit with his offer his factory certificate, certifying that the vehicle's performance rating is on file with the Department of Energy and submit the performance rating. Failure to comply with the requirements herein shall be sufficient cause for rejection of offer.

In case of an error in extending the unit bid price, the unit bid price shall govern. In the event of an error in computing the total cost of energy efficiency through life cycle costing; the computation procedure under (5) above shall govern.

B. **LOWEST RESPONSIBLE OFFEROR.** Award will be made to the responsible, responsive Offeror whose vehicle complies with the specifications herein, in the following order of priorities:

6. To the Offeror with the lowest total evaluated bid price which includes the total cost of the vehicle and the total gasoline mileage cost for the approximate life of the vehicle.
7. In the event the Offeror bidding on the total evaluated price (total cost of the vehicle and total gasoline mileage cost for the approximate life of the vehicle), competes with an Offeror who is unable to furnish substantiating data to compute the total evaluated bid price, preference shall be given to the Offeror submitting the total evaluated bid price.
8. In the event all Offerors are unable to bid on the total evaluated bid price, award will be made to the Offeror offering the lowest unit bid price of the cost of the vehicle.
9. The contract amount of any contract awarded shall be the amount of the bid offered on the vehicle only and shall not include the total gasoline mileage cost for the approximate life of the vehicle.

C. In the event that the low Offeror is the same for more than one of the vehicles, a single contract will be made for the applicable vehicles.

D. Additionally, General Terms 3.2 shall apply to any award, as amended herein.

E. The Department reserves the right to increase, decrease, or modify the quantity of the any item and enter into a contract in accordance with available funds. Should the quantity of any item be increased, the contract shall be entered into at the same unit price(s) in the offer and under the same terms and conditions specified herein. Further, should the quantity of any item be changed and a contract is entered into according to available funds, any loss of anticipated profit or any expenses incurred by the Offeror as a result of submitting an offer shall not constitute grounds for equitable adjustment of any payment.

IV. OFFEROR'S RESPONSIBILITY; SUCCESSFUL OFFEROR.

A. Offeror is advised that if awarded a contract of \$25,000 or more under this solicitation, Offeror shall, upon award of the contract, furnish proof of compliance with the requirements of HAR §3-122-112. The successful offeror is advised that it shall, prior to award of the contract, furnish proof of compliance with the requirements of **HAR** §3-122-112:

1. Chapter 237, tax clearance;
2. Chapter 383, unemployment insurance;
3. Chapter 386, workers' compensation;
4. Chapter 392, temporary disability insurance;
5. Chapter 393, prepaid health care; **and**
6. **One** of the following:
 - a) Be registered and incorporated or organized under the laws of the State

- (herein a “Hawai‘i business”); or
- b) Be registered to do business in the State. (herein a “compliant non-Hawai‘i business”).
- B. To comply with these requirements, the successful offeror shall produce the following documents to the Department of Water to demonstrate compliance with this section.

1. HRS Chapter 237 tax clearance requirement for award and final payment. Instructions are as follows:

- a) Pursuant to H.R.S. §103D-328, successful offeror shall be required to submit a tax clearance certificate issued by the Hawai‘i State Department of Taxation (“DOTAX”) and the U.S. Internal Revenue Service (“IRS”). The certificate is valid for six (6) months from the most recent approval stamp date on the certificate and must be valid on the date it is received by the Department of Water.
- b) The tax clearance certificate shall be obtained on the State of Hawai‘i, DOTAX *TAX CLEARANCE APPLICATION* Form A-6 (Rev. 2003) which is available at the DOTAX and IRS offices in the State of Hawai‘i or the DOTAX website, and by mail or fax:

DOTAX Website: <http://www.state.hi.us/tax/alphalist.html#a>
DOTAX Forms by Fax/Mail: (808) 587-7572 or 1-800-222-7572

- c) Completed tax clearance applications may be mailed, faxed, or submitted in person to the Department of Taxation, Taxpayer Services Branch, to the address listed on the application. Facsimile numbers are:
DOTAX: (808) 587-1488 IRS: (808) 539-1573
- d) The application for the clearance is the responsibility of the offeror, and must be submitted directly to the DOTAX or IRS and not to the Department of Water.
- e) **Contractor is also required to submit a tax clearance certificate for final payment on the contract.** A tax clearance certificate, not over two months old, with an original green certified copy stamp, must accompany the invoice for final payment on the contract.

2. HRS Chapters 383 (Unemployment Insurance), 386 (Workers’ Compensation), 392 (Temporary Disability Insurance), and 393 (Prepaid Health Care) requirements for award. Instructions are as follows:

- a) Pursuant to H.R.S. §103D-310(c), the successful offeror shall be required to submit an approved certificate of compliance issued by the Hawai‘i State Department of Labor and Industrial Relations (“DLIR”). The certificate is valid for six (6) months from the date of issue and must be valid on the date it is received by the Department of Water.
- b) The certificate of compliance shall be obtained on the State of Hawai‘i, DLIR *APPLICATION FOR CERTIFICATE OF COMPLIANCE WITH SECTION 3-122-112, HAR*, Form LIR#27 which is available at www.dlir.state.hi.us/LIR#27, or at the neighbor island DLIR District Offices. The DLIR will return the form to the Offeror who in turn shall submit it to the Department of Water.
- c) The application for the certificate is the responsibility of the Offeror, and must be submitted directly to the DLIR and not to the Department of Water.

C. REQUIREMENT FOR AWARD. To be eligible for award, the offeror must

comply as follows:

1. Hawai'i Business. A business entity referred to as a "Hawai'i business" is registered and incorporated or organized under the laws of the State of Hawai'i. As evidence of compliance, offeror shall submit a *CERTIFICATE OF GOOD STANDING* issued by the State of Hawai'i Department of Commerce and Consumer Affairs Business Registration Division ("BREG"). A Hawai'i business that is a sole proprietorship, however, is not required to register with the BREG, and therefore not required to submit the certificate. An offeror's status as sole proprietor or other business entity and its business street address indicated on the OFFER form will be used to confirm that the offeror is a Hawai'i business.
 2. Compliant Non-Hawai'i Business. A business entity referred to as a "compliant non-Hawai'i business" is not incorporated or organized under the laws of the State of Hawai'i but is registered to do business in the State of Hawai'i. As evidence of compliance, offeror shall submit a *CERTIFICATE OF GOOD STANDING*.
 - a) To obtain a *CERTIFICATE OF GOOD STANDING* go online to www.BusinessRegistrations.com and follow the prompt instructions. To register or to obtain a "Certificate of Good Standing" by phone, call (808) 586-2727 (M-F 7:45 to 4:30 HST). The "Certificate of Good Standing" is valid for six months from date of issue and must be valid on the date it is received by the Department of Water.
 - b) Offerors are advised that there are costs associated with registering and obtaining a "Certificate of Good Standing" from the DCCA.
- D. **TIMELY SUBMISSION OF ALL CERTIFICATES.** All certificates should be applied for and submitted to the Department of Water as soon as possible after the Department provides the written Notice of Award. **If valid certificates are not submitted on a timely basis after the Department so notifies the successful offeror, the successful offeror's Offer shall be disqualified and any prospective award (even though the successful offeror's offer is otherwise responsive and responsible) shall be cancelled without any liability whatsoever to the Department of Water.** The Department, and not the successful offeror, shall determine whether all necessary certificates have been timely submitted.
- E. **AWARD TO SUBSEQUENT OFFEROR.** If the Department cancels **any** prospective award for failure to submit all required certificates, the Department reserves the right to make an award to the next-lowest, responsive, responsible Offeror who is able to submit all of the required certificates.
- F. **FINAL PAYMENT REQUIREMENTS.** An original "Certification of Compliance for Final Payment" (SPO Form-22), will be required for final payment and is attached hereto.

V. DELIVERY CONDITIONS AND SAFETY REQUIREMENTS.

- A. Before the delivery of the vehicle(s), for acceptance by the Department, the Contractor shall, at its own expense, be responsible for:
1. Weighing each vehicle;
 2. Securing all weight registration forms and completing each registration form. Registration shall be in the name of the Department of Water, County of Kaua'i;
 3. Ensuring that each vehicle delivered meets Federal, Hawai'i State and County safety requirements including furnishing all safety stickers; and
 4. Washing and polishing completely each vehicle and delivering the vehicle(s) with full tanks of fuel.

B. The Department shall be responsible for obtaining all license plates.

VI. DELIVERY, INSPECTION, AND ACCEPTANCE.

- A. ASSEMBLED DELIVERIES. The vehicle and/or equipment specified herein shall be delivered to the Department completely assembled.
- B. PRE-DELIVERY INSPECTION. The Contractor may request in writing that the Department perform a pre-delivery inspection on the equipment at the Department's shop facilities. In the event the pre-delivery inspection is not conducted within three (3) working days from receipt of the written request, the Contractor shall immediately notify the Chief Procurement Officer.
- C. DELIVERY. The Contractor shall be responsible to contact the Department for delivery appointment and arrangement and; further shall physically deliver the vehicle(s) to the destination as specified herein. In the event the Contractor is unable to comply with these provisions for reasons beyond its control, the Contractor shall immediately notify the Chief Procurement Officer.
- D. A delivery receipt shall be supplied by the Contractor, showing the description of the vehicle(s), date, time and place of delivery. The receipt shall be properly executed by the Contractor and the Department at the time of delivery. The Contractor shall submit a copy of the delivery receipt to the Department within three (3) working days thereof.
- E. ACCEPTANCE; REJECTION. The Department shall notify the Contractor, in writing, within ten (10) working days after delivery, if the vehicle(s) has been accepted or rejected. In the event the vehicle(s) is rejected, the Department shall furnish written details of the deficiencies.

VII. WARRANTIES, TECHNICAL MANUALS, AND ADVICE.

- A. WARRANTIES AND CERTIFICATION. All materials shall be warranted against factory defects. The warranty on the vehicle(s) and/or equipment shall be the standard manufacturer's warranty against factory defects. The contractor shall also submit those certifications described in the Specifications section of this solicitation.
- B. TECHNICAL MANUALS. Contractor shall furnish a copy of each of the vehicle(s) and/or equipment warranty and the following technical manuals with the delivery for each of the vehicles and equipment:
 - 1. Service and Repair Manuals
 - 2. Technical Service Bulletins
 - 3. Operator's Manual
 - 4. Parts Manual
- C. ADVICE. The Offeror shall, without cost to the Department, provide all technical advice such as, but not limited to vehicles and equipment usage, service, repairs and identification of replacement of parts.

VIII. DELIVERY TIME REQUIREMENTS. The Contractor shall deliver the item specified in this solicitation within **THREE HUNDRED SIXTY-FIVE (365) CALENDAR DAYS**, or sooner, as stated in the Written Notice to Proceed.

IX. DELIVERY LOCATION. The vehicle shall be delivered to:

County of Kaua'i, Department of Water
Ryan Smith, Chief of Water Operations
4398 Pua Loke Street
Līhu'e, Kaua'i, Hawai'i 96766

Reference: _____
(Contract Number) (IFB/RFP Number)

1. Chapter 383, HRS, Hawaii Employment Security Law – Unemployment Insurance;
2. Chapter 386, HRS, Worker's Compensation Law;
3. Chapter 392, HRS, Temporary Disability Insurance;
4. Chapter 393, HRS, Prepaid Health Care Act; and

Moreover, _____
(Company Name)
acknowledges that making a false statement shall cause its suspension and may cause its debarment from future awards of contracts.

Date: _____

SPECIFICATIONS

ONE (1) 26K CAB AND CHASSIS WITH 10 FT DUMP AND AUTO TARP SYSTEM

THE MINIMUM SPECIFICATIONS SHALL NOT BE LESS THAN:

DESCRIPTION	MINIMUM REQUIREMENTS	BIDDER'S PROPOSAL MUST BE FILLED
Year	New 2026 production or newer.	
Model	Set Back Fron Axle, with 10 Ft Single wall Straight Sides dump body to meet or exceed below specifications.	
GVWR	26,000 lb. GVWR minimum.	
Maximum Length	Not to exceed 28'8", overall length.	
Wheelbase	Manufactures standard to comply with vehicle GVWR and configuration Not to Exceed 152 inches Wheelbase.	
Maximum Width	Truck Width not to exceed 8'6" per 23 CFR 658.16 excluding mirrors and fender flares.	
Engine	Diesel Fueled, Turbo Charged 9 Liter, Meet or Exceed PACCAR PX-9 rated at 380 Horsepower @ 1600 RPM/ 1250 Lb. Ft. Torque @ 1200 RPM Minimum.	
	MINIMUM ENGINE PARAMETERS: • 0 Second Delay in Engine Brake Activation • PTO Control Type Stationary Cab with Switches & Accelerator Pedal • PTO Vehicle Speed Limit 2 MPH • PTO Mode Disabled w/ Service Brake Pressed Maximum Switch Controlled PTO Engine Speed 1400 RPM • Maximum Pedal Controlled PTO Engine Speed 1400 RPM • Cab Accelerator Pedal Type when in PTO Mode: RPM Speed Pedal Engine Idle Shut- Down Timer Disabled	
	Engine retarder "Jacobs Brake" or similar	
	Exhaust: RH Under Passenger Door DPF/SCR w/RH Side of Cab Vertical Tailpipe w/ Diamond aluminum cover. Exhaust Tailpipe no more than 30"	
	Air Compressor to meet Cummins 30.4 CFM Dual Piston for extended life or Greater complete with Teflon Air Compressor discharge line.	
	Horton Variable Speed Fan Hub or Similar	
	Radiator Bug Screen Mounted between Hood and Grille.	
	Lower Radiator Drain Valve	
	1000 Square Inch Aluminum Radiator Core or larger, Aluminum Charge Air Cooler, Translucent Surge Tank and Washer Bottle, Silicone Hoses w/ Extended Life Coolant.	
Batteries & Alternator	160 Amp Brush Type Alternator	
	Batteries: Three (3) GP31 THR Adonized Glass Mat 2775 CCA	
	Steel Parallel Battery Box LH Under Cab with Painted Aluminum Cover with Air Tanks mounted under Battery Box.	

DESCRIPTION	MINIMUM REQUIREMENTS	BIDDER'S PROPOSAL MUST BE FILLED
	Jump Start Terminals Mounted under Hood LH or RH Side.	
Filters	Air – Dry type, under hood Engine Mounted Powercore 10” or larger w/ constant torque Stainless Steel Clamps, Pop-Up Air Restriction Indicator. Must hold 10% more dust than 2500. Pre-Cleaner mounted in hood plenum.	
	Engine Oil - Manufacturers Standard Service Interval.	
	Fuel – Manufacturers Standard Service Interval.	
	Hydraulic - Dual Filter Head ZSP415-5EDNH or Equivalent	
Transmission	ALLISON AUTOMATIC RDS With Provisions for Dual mounted PTO Application.	
	Column Mounted Combination Transmission Control w/Retarder, Performance and Off-Road Shift parameters.	
	14” High Capacity Oil to Water cooler for Transmission.	
Driveline	2 Dana SPL170XL w/1 Center bearing Low Maintenance offering from Spicer, On Highway 350,000 Miles First Service Interval, 100,000 Miles subsequent service interval on U-Joints, Splines lubed for Life, Quick Disconnect End Caps. Or Equal.	
Antilock System	Bendix 4s/4m Antilock Brake System w/Air Traction Control (ATC) and Electronic Stability Program (ESP) for Full Tuck.	
Front Suspension Capacity	10,000 lbs. minimum	
Front Axle	10,000 lbs. Wide Track 3.32” Drop Set Back Front Axle or Equivalent	
	Minimum Set-Back 40” from Front Bumper to Center of Front Axle	
	Front Axle Aluminum Hub Pilot 13,200 lbs. 10 Bolt 11-1/4” Bolt Circle	
Front Brakes	14,600 lbs. Bendix ADB22X Air Disc Brake for Front Axle or Equivalent	
	Splined Rotor for Front Air Disc Brakes	
	Integrated Knuckle for Air Disc Brakes	
Front Springs	Taperleaf 12,000 lbs. w/Shock Absorbers	
	Threaded Bushings for Taperleaf Springs	
Power Steering	Single Power Steering gear rated at 13,200 lbs.	
Rear Axle Rating	16,000 lbs. minimum	
Rear Drive Axle	Single Dana Spicer S21-172 or Equivalent Rear Axle Rated at 16,000 lbs. w/minimum 2.06 in. Shaft Diameter, 46 Spline and 11mm thick axle housing walls.	
	Single Aluminum Hub Pilot 23,000 lbs. Capacity 11-1/4” Bolt Circle	
	Rear Axle Ratio 5.25	
	Wheel Differential Lock for Axle.	
Rear Brakes	Bendix ADB22X or Equivalent Air Disc Brakes	
	Splined Rotor for Single Rear Air Disc Brakes	
	Spring Brakes included with Rear Air Disc Brakes.	
Rear Axle Suspension	Ryco 79KB Taperleaf Spring Suspension rated at 21,000 lbs.	
	Including Rear Axle Stabilizer Bar, Shock Absorbers and Bolted Suspension Crossmember.	

DESCRIPTION	MINIMUM REQUIREMENTS	BIDDER'S PROPOSAL MUST BE FILLED
	8.0" Laden Height/9.0" Un-laden Height/9.0" Un-laden Height. No Air Ride Suspension will be accepted based on safety of stabilization while dumping.	
Front Tires And Wheels	Two (2) 11R22.5 16 Ply Rating 41.5 in diameter Steer Tire 19.3 SLR Bridgestone R273 Tread Pattern or Equivalent (Substitutions to be approved)	
	Two (2) Alcoa 88067 22.5x8.25 MagnaForce Dura Bright Mirror Finished Wheel w/6.6" Offset/5.813" Inset or Equivalent in Weight w/7,400 lb. Rating. Dura Bright Buffed for Low Maintenance.	
	One (1) Per Wheel Open Center Hubcap for Viewing Axle Oil Levels	
	Ten (10) Per Wheel Lug Nut Caps to prevent Thread Rust	
Rear Tires And Wheels	Four (4) 11R22.5 16 Ply Rating 42in. diameter Drive Tire 19.5 SLR Bridgestone M799 or Equivalent (Substitutions to be approved)	
	Four (4) Alcoa 88067 22.5x8.25 MagnaForce Dura Bright Mirror Finished Wheel w/6.6" Offset/5.813" Inset or Equivalent in Weight w/7,400 lb. Rating. Dura Bright Buffed for Low Maintenance.	
	One (1) Per Outer Wheel Rear Hub Cap to prevent Oxidation & Rust.	
	Ten (10) Per Outer Wheel Lug Nut Caps to prevent Thread Rust.	
Frame	Single Frame Rail 10-5/8" x 3-1/2" x 5/16" Steel Frame Rail 2.91lb/Inch per pair of frame rails Section Modulus of 14.80, RRBM Minimum 1,776,000 in-lbs. per rail or Equivalent.	
Bumper	Aerodynamic Chrome Plated Steel Bumper	
	Two Front Tow Loops or Equivalent.	
Cab	Manufacturers Standard Curved Glass Conventional Day cab.	
	Cab Must be All Aluminum with Load Bearing Door Hinges	
	Manufacturers Standard Exterior Stainless Steel Sunvisor with raised roof profile.	
	One Piece panoramic curved glass windshield.	
	Manufacturer's Standard Air Ride Cab	
	Firewall Insulation & Floor Covering w/Sound Deadening Materials & Cowl Blanket to reduce cab noise.	
	Manufacturer's Standard Dual Motorized Integral CX Heated Mirrors, 7in x 13in Mirror Shell Painted Black Color and Black Mirror Arms.	
	Standard Manufacturer Mirror Width not to exceed Ten Feet (10')	
	Dual 26" Air Horn w/Covers LH and RH Mounted to Side of Cab Exhaust	
	LH & RH Grab handle inside door frame Yellow	
Hood	Forward tilting type Sloped Metton w/Split Fenders Sectional 3 Pc. Hood with spray suppression wheel liners aero-style with Chrome Grille and crown.	

DESCRIPTION	MINIMUM REQUIREMENTS	BIDDER'S PROPOSAL MUST BE FILLED
Fuel Tank	Fifty (50) gallons capacity D-Shaped, constructed from aluminum w/Polished Finish to prevent tarnish. Mounted LH Back of Cab behind Battery Box.	
	Fuel Tank Straps Polished to prevent rusting and tarnish	
	Fuel Tank Drain Plug (REQUIRED)	
DEF Tank	15 Gallon capacity Minimum, Constructed of Plastic mounted RH Behind Cab on Passenger Side.	
Operator Station	Steering Wheel 18" min w/Standard Manufacturer Smart wheel with Integrated Radio and Cruise Controls for driver safety.	
	Standard Adjustable Telescoping Steering Column.	
	One (1) Driver Air Cushion High Back Heavy-Duty DuraCloth Material Seat standard with a single air bag, scissor linkage seat suspension. Must include a single chamber lumbar support, 10in Fore/Aft adjustment, 7in Up/Down adjustment, 2.5in pan extension, 51 degree seat back recline, and 16 degree full seat tilt standard w/dual armrest to include 3-point seat belts that conform to all applicable Federal Standards. Must incorporate Seat Height Memory, Auto Level Valves w/Exit Air Dump Features with Cloth/Vinyl.	
	Warning Light and Alarm for Driver Side Seatbelt to activate when vehicle speed is greater than 10 MPH and Driver Seatbelt is unlocked.	
	Manufacturer Standard Electric Door Locks.	
	Manufacturer Standard Electric LH and RH Door Window Lifts	
Passenger Seat	Mid/Low Back Passenger Bench Seat Vinyl/ Cloth Material Fixed Base.	
Instruments	Must Include Tachometer, Speedometer, Fuel Gauge, Engine Coolant Temperature Gauge, Engine Oil Pressure Gauge, Voltmeter, Primary & Secondary Air Reservoir Gauges, Air Application Gauge, DEF Level Gauge & Warning Lamp, Engine Hour Meter and Outside Air Temperature. Speedometer Readout MPH.	
	Mute Back-Up Alarm Switch w/Alarm in cab to sound when pressed	
	Dash Mounted PTO Switch	
	Manual Fan Switch to operate when parking brake is set and Air conditioning is on	
	Off-Highway Dash switch for ABS System w/Indicator Light	
	Self-Cancelling Turn Signal w/Column Mounted Headlight Dimmer switch & Wiper Control or Equivalent	
	Omit Brake Light w/Engine Brake	
	Must have circuit Breakers replacing standard Fuses	
	CB or Equivalent Two-Way Digital Radio Wired	
Lighting & Signals	SAE Dual Halogen Complex Reflector or Equivalent	
	Five Rectangular LED Mounted Cab Marker Lights	

DESCRIPTION	MINIMUM REQUIREMENTS	BIDDER'S PROPOSAL MUST BE FILLED
	LED Fender Mounted Turn Signal	
	Dash Mounted Switch w/Dual Flush Mounted Mid Cab Flood Lights	
	Dash Mounted Switch w/Dual Pedestal top of Cab rear facing Flood Lights	
	Dual Stainless-Steel Brackets Mounted to side of Cab w/ECCO 7960 or equivalent Dual Beacon Lights with Branch Guards	
	Dump Body Mounted 6” Oval Amber LED Strobe Lamps at front (2) and 6” Oval Amber LED Clear Lens Strobe mounted in rear posts of body wired to Console.	
Air System	Bendix AD-IS Extended Purge with Pura Guard or Equivalent	
	Moisture Ejection valve Midland Automatic Drain w/Pull Cable	
	Gladhands & Seven Way Female Receptacle mounted at end of frame.	
	Must have dash mounted trailer air supply valve, trainer hand control valve and hose/fittings for the valves. Dash Mounted parking brake valve, tractor protection valve, and spring brake inversion/relay valves.	
	Nylon Air Tubing in Frame & Cab excluding areas subject to excessive heat.	
	Locate Air Dryer Inside LH Rail Back-Of Cab	
	All-Aluminum Air Tanks to prevent rust.	
	No Air Tanks near Transmission Area	
Reverse Alarm	Rear Frame Mounted Electric Back-Up Alarm Meets SAE J994 & OSHA Requirements	
Exhaust Emission Control System	As required by the Federal Government or State of Hawaii.	
Noise Emission Control System	As required by the State of Hawaii under Table B-2, for daytime application, Chapter 44A, Public Health Regulations.	
Air Conditioning System	Factory installed air conditioning system.	
	One Ball Valve for Primary Heater System	
Fire Extinguisher	One (1) only, 10 lbs., ABC UL approved, complete with mounting brackets and hardware. Mounted in cab of vehicle.	
Radio	AM/FM type with Bluetooth for Driver Safety with display for Rear Camera.	
	Speakers 4x6” Located in B Pilar	
Windshield and Windows	All glass shall be in full compliance with Federal Motor Vehicle Standards.	
	Standard Door windows as provided by the Manufacturer	
	Rear Cab Window Min 17x36”, Front Windshield Single Panoramic Glass.	
Windshield Wipers	Manufacturer’s Standard Electric, intermittent wiper control including electric windshield washer.	
Reflector Warning Kit	One (1) set, triangular type, 3-warning triangles shall be provided with each kit, packaged within a metal or plastic case which conforms to Federal Standards.	
Cab & Frame Paint	Cab Base Coat/Clear Coat (Color Code P3739) White Pearl or Equivalent to prevent fade and	

DESCRIPTION	MINIMUM REQUIREMENTS	BIDDER'S PROPOSAL MUST BE FILLED
	flaking. Color Code Must be confirmed before order.	
	Manufacturers Standard Black Frame Rails (Color Code N0001) or equivalent w/Zinc Phosphate frame rail paint process to prevent rust.	
Dump Body	Length Maximum 10 ft. (10') Single Wall Dump Box Mounted on Truck to meet the below minimum specifications	
	Body Floor: 3/16-inch Hardox 450 or Hardox AR500 steel plate.	
	Headboard: 10 Gauge Hi-Tinsel formed steel welded to floor.	
	Corner Posts: Formed 3/16" Hi-Tensile Steel 9x6"	
	Top Frame Rails: 1/4" Tube formed steel	
	Dog House: 10 Gauge Hardox 450 with pin covers each side and top inspection cover, single piece, welded to floor.	
	Body Sides: Single Wall Straight Sides 42", 3/16" High Tensile Steel HARDOX AR450 or HARDOX AR500.	
	Side Boards: None-Top on Flat with Side Board Pockets ONLY	
	Tailgate: High Lift 3/16" AR450 or better, air high lift, external mount cylinders w/deflector plate.	
	Tailgate Hinges: 3" blocks with replaceable bushing, 1" ears and 2" hardened pins with grease fittings	
	Tailgate Locks: 2.5"x 6" electric over air operation fast acting cylinder latch assembly.	
	Tailgate Spreader Chains: Two (2) 5/16" HD Chains Welded to underside of rear crossmember. Slotted brackets to hook chains on tailgate for opening up to 6"	
	Tapered Ten Inch (10") Asphalt Apron	
	Dump Box Mounted Mud Flaps: Air over electric flip up system at the rear with HD Thirty Inch (30") Rubberized Mud flaps and Light Box (4" Round LED STT and Reverse Lamp) on Air Flaps.	
	Steps & Handles: Manufacturers Standard Front and Side of Body with Material Sight Window on Front of Body.	
	Shovel Holder: Drive Side Front Mounted of Box for Square Shovel	
	Hydraulic Oil Tank: 35 Gallon Aluminum, RH frame mount usable 35 gal. capacity w/ 2" suction port, 1-1/4" return port, 2" Filler Port. One top mounted breather with side mounted sight tube.	
	Strap Mounted with Shock Springs to prevent cracking. CANNOT BE ABOVE BOTTOM OF WINDOW/DRIVERS SIGHT.	
	Body Hoist: 4 Stage, Single Acting Telescopic Cylinder w/56,540 lbs. min load capacity.	
	PTO & Pump: Bezares BELA26S20 Pump with Bezares or Equivalent PTO and 9058090 Single Pressure Tipping Valve with Hydracheck Pressure Gauge mounted in cab to Console. Note PTO/Wet Kit to have all JIC Style Fittings/Hoses and Ball-	

DESCRIPTION	MINIMUM REQUIREMENTS	BIDDER'S PROPOSAL MUST BE FILLED
	Valve on Suction/Return to tank, secured and Heat Shielding where required.	
	Tarp System: Roll-Rite or Pultarp Electric Mid-Mount Tarp System w/Aluminum Housing including Tension Bow arm to hold down front of cover from flapping complete with Premium HD Mesh Tarp.	
	Toolbox: Mounted Driver side. 36"x18"x18"	
Body Controls	Single Lever Air Control Between Seats APSCO VM9 with Detent in Raise and Lower; Electric/Air Tailgate Latch, Electric/Air Tailgate High-Lift, Electric/Air-Flap Switch mounted to tower. All Tower Controls Labeled w/Function name. PTO Engagement to use Factory PTO switch on dash panel. Switches wired to Batt Box in lieu of Ignition.	
	Body Lights: ICC/ DOT Legal, Grommet mounted LED, one (1) Marker Light per side on mid rail, Two (2) markers per Corner Post, one facing rear and one facing side, Two (2) stop/turn/taillights per corner post. One Work Lamp in Rear post wired to Factory Dash Switch. Light Cables to be sheathed, posted with gromets through openings and sharp edges ground off.	
Body Paint	Manufacturer's Single State White to match Color Code P3739 White Pearl.	
	Safety Reflective Tape: 4" Wide Waterproof "Chevron Panel" Reflective Striping across tailgate, Dump Body Full Fender and Front Bumper, 3M or equivalent Red/Yellow striped hazard warning reflective tape. Confirm before Installing.	
Rear Hitch	Premier 270 Air Hitch; Air, Electric, Segmented Hitch Design to reduce stress, hitch height is 22-1/2" ground to middle of pintle hook. One (1") inch from rear of tire to middle of lunette to ensure face is behind tire clearance.	
Rear View Camera	Rear View Camera installed in rear RH Corner Post of Body w/LH Rear Corner Post Work Lamp. Rear View Camera Wired to In Dash Manufacturer Standard NAV Plus Unit.	
Warranty	Bidder must provide Manufacture Warranty of the following Minimum Warranties/Warranty Period which includes in bid packet basic coverage information under Manufacturer header.	
	a. Five (5) Year/200,000 Mile Engine and Aftertreatment Warranty.	
	b. Five (5) Year/200,000 Mile Basic Vehicle Component Warranty.	
	c. Five (5) Year/200,000 Miles Front and Rear Axle Warranty.	
	d. Five (5) Year/200,000 Miles Transmission Warranty.	
Keys	Three (3) complete set of keys with Three (3) Key Fobs	
Manuals	The following Manufacturer's Manuals in paperback, CD, or USB drive, shall be provided:	
	a. Operators Manual	
	b. Parts Manual with Electrical Schematics	

DESCRIPTION	MINIMUM REQUIREMENTS	BIDDER'S PROPOSAL MUST BE FILLED
	c. Service Manual	
Note	Unit shall be brand new and complete, meeting these specifications as well as the general catalog specifications describing this unit. Unit shall be completely assembled, serviced and in good running order and delivered to the destination indicated.	
Delivery	365 Calendar Days or Sooner.	

GENERAL TERMS AND CONDITIONS FOR GOODS AND SERVICES

(Attached Separately)

