ADDENDUM NO. 1

COUNTY OF KAUA'I
DEPARTMENT OF WATER

INVITATION FOR BIDS

GS-2027-04

FOR THE
FURNISHING AND DELIVERY
OF

ONE (1) ¾ TON EXTENDED CAB 4x4 PICKUP TRUCK
WITH LIFTGATE AND ACCESSORIES,
AND/OR
ONE (1) CREW CAB PICKUP TRUCK

NOTICE TO PROSPECTIVE PROPOSERS

This addendum is hereby made a part of the INVITATION FOR BIDS and shall govern the work, taking precedence over previously issued plans and specifications governing the items mentioned for the subject project; and it shall amend the said contract documents in the following respects:

ADDENDUM NO. 1

The attached revised SPECIFICATIONS shall replace the original Specifications for ITEM NO. 1, ONE (1) ¾ TON EXTENDED CAB 4x4 PICKUP TRUCK WITH LIFTGATE AND ACCESSORIES.

End of Addendum No. 1

Please submit your questions relating to this solicitation at www.publicpurchase.com .

Joseph "Joe" E. Tait
Manager and Chief Engineer
Chief Procurement Officer
November 24, 2026

ACKNOWLEDGEMENT OF RECEIPT OF ADDENDUM NO. 1

Receipt Acknowledged:

Organization	Received by
Date	Title

(Please sign and return your acknowledgement.)

SPECIFICATIONS

ITEM NO. 1

ONE (1) ¾ TON EXTENDED CAB 4x4 PICKUP TRUCK WITH LIFTGATE AND ACCESSORIES

THE MINIMUM SPECIFICATIONS SHALL NOT BE LESS THAN:

DESCRIPTION	MINIMUM REQUIREMENTS	BIDDER'S PROPOSAL MUST BE FILLED
Year	New, of current production model.	
Model	Extended Cab ¾ ton 4x4 pickup truck of similar capacity, quality, and configuration.	
GVWR	10,000 lbs. minimum	
Wheelbase	148 inches minimum	
Payload Capacity	3,400 lbs. minimum	
Bed Length	6 ft. minimum	
Ground Clearance	8.5 inches minimum	
Seating Capacity	6 persons minimum	
Charging System	**350 Amp Dual Alternator System, factory installed dual batteries.**	
Engine	7.3L Gas V-8 engine with minimum 400 horsepower and 445 lb. -ft torque.	
Transmission	10-speed automatic minimum.	
Drivetrain	Shift on the fly 2-speed electronic transfer case, 4:30 ratio e-locking rear axle.	
Steering	Hydraulic or electric power assisted.	
Tires	17" steel wheels LT245 BSW 17 A/T tires or of similar capacity, full size spare.	
Fuel Tank	34 gallons minimum.	
Lights & Safety Equipment	Meet or exceeds federal requirements.	
Towing	Trailer hitch receiver class 3, with keys, receiver locking pin, with class 3 pintle hook hitch.	
	Factory installed trailer brake controller.	
Features and Accessories	Upfitter switches.	
	Heater-defroster and air conditioning.	
	40/20/40 Vinal split bench front seat.	
	Black rubberized vinal floor covering.	
	Removable rubber floor mats, front and rear.	
	AM-FM stereo radio, w/Bluetooth wireless phone connection.	
	Power windows power door locks, power exterior trailer tow mirrors.	
	Hill descent control.	
	Air bag system.	
	ABS – anti lock brake system/traction control system.	
	Three (3) door and ignition key sets with three (3) fobs, or three (3) Key fobs (all doors).	
	12-volt power outlet, and USB outlet.	

DESCRIPTION	MINIMUM REQUIREMENTS	BIDDER'S PROPOSAL MUST BE FILLED
	Spray-on bedliner.	
	Platform running boards.	
	Factory installed skid plates – transfer case and fuel tank.	
	Factory installed auxiliary rear springs.	
	Splash guards/mud flaps front and rear.	
Extra Equipment	102 dba back up alarm.	
	2.5-pound ABC / dry chemical steel fire extinguisher to be mounted in cab.	
	One (1) roadside safety kit w/triangles and flares/LED flare lights.	
	Rear view back up camera to display in the center stack screen.	
	HD Aluminum cross body gull wing dual lids toolbox - .125 aluminum tread plate construction, HD dual gas shocks, keyed lock with 2 sets of keys, aluminum tool tray, treated with aluminum protectant coating.	
	Rear lift gate – dual hydraulic cylinders, 1,500 lb. capacity, 2-piece aluminum platform – 55"x38" plus 6" all steel components shall be hot-dipped galvanized, LED light kit.	
	Light Bar – Whelen Justice WCX series light bar model RX2FFFF – 56.25" amber/white DUO or equal to, 4 corner lights (DUO white/amber), super LED alley lights (on each side of light bar), super LED take down lights (2 in the front, 2 in the rear), DUO white/amber (8 in front, 8 in rear), control system – Whelen core C system with Whelen CCP9 controller and Whelen WEM-16 expansion module, strap kit for Ford Super Duty Pickup.	
Rustproofing	The complete automotive equipment shall be covered with a mastic underseal & treated with Tuff-Kote, Ziebart or equal, rust preventative material. The contractor shall furnish a copy of the warranty for each unit delivered.	
Manuals	The following manufacturer's manuals in paperback, CD, or USB drive, shall be provided: a) Operators' manual. b) Parts manual. c) Service manual.	
Warranty	Manufacturer's Standard Warranty.	
Note	Unit shall be brand new and complete, meeting these specifications describing this unit. Unit shall be completely assembled, serviced and in good running order and delivered to the destination indicated.	
Delivery	365 calendar days or sooner.	